STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name:	SHAVER	Ope	rator Well No.:	3	
LOCATION:	Elevation: 1334	Qu	adrangle: BU	RNSVILLE 7	<u>.5</u>
	District: OTTER	Co		AXTON	
	Latitude:	Feet South of 38	Deg. 47	Min. 30	Sec.
	Longitude:				
					Office of Oil and Gas
Mell Type: (DILGAS_X	in in part of the second	e 🕶 e e e e e e e e e e e e e e e e e e		Chica of Girano Gas
well type.			• 11		NOV 0 6 2014
Company	HAYDEN & HARPER I	(A, LLC Coal Operat	or NONE		1101 0,0 2011
	1001 MOOREHEAD SQUARE DR	SUITE 350 or Owner			WV Department of
	CHARLOTTE, NC 28203	<u> </u>			Environmental Protecti
:		Coal Opera	ior NONE		Environmental Flotecti
Agent	BRETT MCDONOU			 	
Permit Issu	ed Date 04/30/2014	•	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
		AFFI	DAVIT		
STATE OF W	EST VIRGINIA	~(1)			
County of WO				•	
		<u> </u>			
PATCHWORK	OIL & GAS, LLC and H	OGER L. WHITED	be	ing first duly s	worn according to law depose employed by the above named
well operator, the 02	and participated in the w day of JUNE	ork of plugging and fi 2014_ and the well	lling the above was plugged as	vell say that sand filled in the fo	aid work was commenced on ollowing manner:
TYPE	FROM	ТО	PIPE REMOV	/ED	LEFT
8 5/8	SURFACE	540	NONE		540
4 1/2	SURFACE	1412	1412		1413-2420
Surface Plug	100	Surface			
Freshwater	348	241			
6 5/8 plug	594	488			
Casing Rip/Elevel		1236	····		
Bottom Plug	2420	2210	· · · · · · · · · · · · · · · · · · ·		
Description	of monument: API, Name,	date plugged, company		and that	the work of plugging and filling
	completed on the 17		. 20 <u>14</u> .	-	
			30 LLC		
And further	deponents saith not.	Patchwork Oil & Ga	as, LLC		DESCRIPTION OF THE LEGISLATURE OF THE PROPERTY
		R.		-	OFFICIAL SEAL NOTARY PUBLIC
		V Jogai	- Jemus		GATE OF WEST VISIONEA JESSICA M. LOTT
Sworn and	subscribe before me this	1 day of July	20_	14	Air Diamond Dr., Darraylo, VVV 26142 By Commission Expose Augusti 7, 2019
My commissio	on expires: August 7, 20	<u> </u>	Molan	Y Public	
		/	ر از ک		01.7 - 1
Affidavit revie	wed by the Office of Oil ar	nd Gas: Detypen	Mu	7-7-/7 Title	Olyton Taspedi

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name	SHAVER		Operator Well	No.: 4		
LOCATION	: Elevation: 1334		Quadrangle:	BURNSVILLE 7	.5	
	District: OTTER		County:	BRAXTON	7	
	Latitude:			Min 30	Sec.	
	Longitude:			42 _{Min.} 30	Sec.	
•	S. S			1.		
Well Type:	OILGAS X				RECEIVE	Ð
Company	HAYDEN & HARPER	KA, LLC Coal One	rator NONE		Office of Oil ar	nd Gas
, , , , , , , , , , , , , , , , , , , ,	1001 MOOREHEAD SQUARE D	com opc				
	CHARLOTTE, NC 28203			·	NOV 0,6 20	14
		Coal Ope	erator NONE		180/ Day-	
Agent	BRETT MCDONOL				WV Departme	ent of
Permit Issu	ed Date 04/30/201	14			Environmental Pr	otection
		AF	FIDAVIT			•
	/EST VIRGINIA,	• • •	1 127(1)			
County of WO	OD ss:					
PATCHWORK	OIL & GAS, LLC and	ROGER L. WHITED		boing fort did.	om according to law depos	
ne	day or _JUNE	, 20 <u>14</u> , and the w	all was plugged	d and filled in the fol	d work was commenced of lowing manner:)U
TYPE	FROM	ТО	PIPE REA	NOVED	LEFT	}
8 5/8 4 1/2	SURFACE SURFACE	540'	None		540	
Surface Plug	100	766 Surface	766		767-2488	
Casing Rip/8 5/		Junace				
notisvoje evoda br	plug 810 la	520		groupe, an per New P		
Bottom Plug	2444	2338				
Description	of monument: API, Name,	, date plugged, company		and that th	a wade of almanian and file.	
	completed on the 18		. 20 14 .	and that the	e work of plugging and filling	j
A = 4 C		Patchwork Oil & C				
And turther	deponents saith not.	FAICHWOIK OIL & C	bas, LLC		more concentration and account of the concentration of the con-	للتبنق
		Roce à	206	Zest 6	TOTAL SEAL NOTARY PUBLIC	A Translation
			- 11 (· · · · · · ·	16	JESSICA M. LOTT	
Sworn and	subscribe before me this	1 day of July		2014	Ny Commission Expires August 7, 201	3
lu commission	expires: August 7, 20)19	احسما) 1 r		
ı y	s exhites.		4111	tary Public	-	
		,	2 · //	•		;
ffidavit review	ed by the Office of Oil ar	nd Gas: Ville	O Kun		Oila Gra Frage	echor
					7	

NOV 1 0 2014

WR-38

AP# 47- 033 - 1843

Rev. 5/08 WV Department of STATE OF WEST VIRGINIA THE STATE OF ENVIRONMENTAL PR Environmental Professional Profession **OFFICE OF OIL & GAS**

RECEIVED Office of Oil and Gas

AFFIDAVIT OF PLUGGING AND FILLING WELL

respective add	and the thir dresses.	d copy (and extra	ne copy mailed to the a copies if required) s	hould be mailed to ea	ach coal opera	torw/VeDep	artment of
Farm Name:		V. Talkington				nvironmen	tal Protecti
Location:	Elevation:	1236'		Operator Well No.:	110.0		——
Location.		LZ30		Quadrangle:	Wallace		-
	Latitude:	Sardis	Feet South of:	County:	Harrison		
	Longitude:		Feet West of:	Deg Deg.	Min Min		ec. ec.
144.61				Deg		·	et.
Well Type:	Oil X	Gas	WIW				
Company:	East Resou	rces Inc.		Coal Operator	Consol Energ	nv .	
	P.O. Box 55	519		or Owner	1000 Consol	Energy Drive	
	Vienna, WV	/ 26105			Cannonsburg	, PA 15317-65	06
Agent:	Philip S. On	drusek		Coal Operator		1717 10017 03t	<u> </u>
Permit Issued:	<u>!</u>	9/9/10		or Owner			
		5/5/10	AFFID	AVIT			
State of West	Virginia, Cou	nty of	Wood	ss:			
	ny Morris					_	
the above ope	rator, and pa	articipated in the	ced in the work of plu work of plugging and , 20 10 and	filling the above well	l, that said wo	rk was commend	ced
TYPE		FROM	TO	PIPE REM	OVED	LEFT	_
Cement		3070'	2940'	6 5/8" 31		1715'	
Cement		2110'	1800'		20'	260'	
Cement		1050'	950'				
Cement		450'	350'				
Cement		100'	0'				
			Ripped 6 5/8" casi	ng every collar from ollar 1050'-950' & eve	1900' - 1800',	440'-330'	
			<u> </u>		.,		\dashv
EW CAL PAR		nt Plugs			1		
070 GEI BEI	ween Cemer						
Description of rand filling said	monument: well was con	npleted on the	7" x 5' 2nd day	and Nove	d that the wor	k of plugging , 20 10	_
Description of r	monument: well was con conents saith	n not.	2nd day	Mon Mon	ember		

STATE OF WEST VIRGINIA **DEPARTMENT OF ENVIRONMENTAL PROTECTION** OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

	Appaiachian	Land Co	Operat	or Well No.:	<u>AL-115</u>		
LOCATION:	Elevation: 1296		Quad	rangle: Ma	ammoth		
	District: Elk		Coun	1/_	nawha		
	Latitude: 6200		South of 38				
	Longitude: 1090		West of 81			Sec.	
	Longitude.	ree	. west or	_Deg10	Min. <u>U</u>	Sec.	
Well Type: (OIL GAS X	·					
Company	Reed Gas Co) .	Coal Operator	NA			
	1200 Kanawha Blv	i. E. Ste 201					
	Charleston WV 25	301	•				
AA	lim Dood In		Coal Operator	NA			
Agent Permit Issue	Jim Reed, Jr. ed Date 08/12	14 A	or Owner				
1 Clinic 155ug	od Date Uo/12	/14					
			AFFIDAV	/IT			
STATE OF W	EST VIRGINIA,						
County of Ivan	<u>88:</u>						
Joey Duckwo	a	nd Cody Han		bei	na first dulv s	worn according to	law danosa
and say that th	ey are experienced in	the work of	piugging and tilling	i cii and das v	/ells and were 4	amnioved hv the sh	ove nemod
the 15	and participated in the	e work of pla	ugging and filling	the above we	ell sav that sa	id work was comr	nenced on
ule <u></u>	day or	, 20 <u>14</u> ,	and the well was	s plugged and	filled in the fo	ollowing manner:	
TYPE	FROM	· TO	PI	PE REMOV	-D	LEFT	
Cement	4686	370		1210 - 41/2		3376	
Cement	2408	195	3				
Cement	1250	115	o'				
Cement	325	225					
Cement	100	0					
		 		·			
	1	1					
	of monument: 5 1/2 p	pe with API	# on attached pla	te	and that	ne work of plugging	Land filling
	of monument: 5 1/2 po	pe with API	laha-	te 0 <u>14</u> .	and that t	he work of plugging	and filling
aid well was c	ompleted on the 30		laha-	- 4 4	and that t	he work of plugging	and filling
aid well was c			laha-	- 4 4	and that t	he work of plugging	and filling
aid well was c	ompleted on the 30		laha-	- 4 4	-		and filling
aid well was o	ompleted on the 30 deponents saith not.	day of Oc	ober 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2	0 <u>14.</u> 2. vodt	- BECEN		OFFICIAL SEAL
And further of Swom and so	ompleted on the 30 deponents saith not. ubscribe before me to	day of <u>Oc</u>	y of Morentee	014. 2 vzdh	-		OFFICIAL SEAL NOTARY PUBLIC
And further of Swom and so	deponents saith not.	day of Oc	y of Mouenher	014. 2 vodt 2. 200	RECEINGE OF OFF		OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA CONNIE WALKER
And further of Swom and si	deponents saith not.	day of <u>Oc</u>	y of Mouenher	014. 2 dt 2 200 Notary F	RECEINGE OF OFF	/ED	OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA

WV Decomment of Environ Protection WR-38 DATE:

Farm name: Clarence Hawkins

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Operator Well No.: 47-97-00837-p

LOCATION: Elev Distr Latit Lone	rict: huckha		^-	Limba comahaar		•
Latii Lone	110CDUON10	nnon		ounty, upsnut_		
Lone	ude: 38.919559	Feet South of _	Deg	Min	_Sec.	Utme 564314.4
	gitude:80.258 ⁻	113 Feet West	ofDeg	Min	Sec	.UTMN 4308111.6
Well Type: OIL_	GASX	·				
Company: Great	Oak Energy		Coal Operator			IC/ Coal Quest Dev.LLC
	Allegheny Äve.		or Owner	300 corporate		Irive
P. O.				scott depot w	v 25560	
	ont PA 15139		0 -10	_		
Agent	: Jerry K. Hanifar	n	Coal Operator or Owner	CDX Gas LL	_	
			or Owner	5485 Beltline	-	90
				Dallas Tx 7		
Permit Issued Da	rte: 2/11/2014					
			AFFIDAVIT			
STATE OF W County of Har	EST VIRGINIA, Tison					
experienced in the	he work of plugg	vina and filling c	il and nas well	cording to law	nnloved t	ov the above named well
experienced in the operator, and part on the 22nd day	rticipated in the	ging and filling o work of plugging	il and gas well a and filling the	ls and were er above well, s	nployed t at that sa	by the above named well iid work was commenced
operator, and pa on the 22nd day	rticipated in the of September, 2	ging and filling o work of plugging	il and gas well g and filling the e well was plug	ls and were er above well, s	nployed t at that sa	by the above named well iid work was commenced
operator and pa	rticipated in the	ging and filling of work of plugging 2014, and that th	il and gas well g and filling the e well was plug	Is and were er above well, s ged and filled i	nployed t at that sa	by the above named well aid work was commenced by by manner:
operator, and pa on the 22nd day TYPE Cement	rticipated in the of September, 2	ging and filling of work of plugging 2014, and that the	il and gas well g and filling the e well was plug	Is and were er above well, s ged and filled i	nployed t at that sa	by the above named well aid work was commenced by by by by by by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid with a commence and the above named well aid work was a commence and the above named well aid work was a commence and the above named well aid work was a commence and the above named well aid work was a commence and the above named well aid work was a commence and the above named well aid work and the above named well aid work and the above named well are above named well and the above named well are above named well and the above named well are above named well and the above named well are above named well and the above named well are above named well and the above named well are above named well and the above named well are above named well and the above named well are above named well and the above named well are above named well and the above named well are above named well and the above named well are above named well as a commence and the above named well are above named well as a commence and the above named well are above named well as a commence and a commence and a commence and a commence are above named with a commence and a commence ar
operator, and pa on the 22nd day	rticipated in the of September, 2 FROM 3993'	ging and filling of work of plugging 2014, and that th TO 3713' 3250' 1897'	ill and gas well g and filling the e well was plug PIPE I 2200ft 4	ls and were er above well, s ged and filled i REMOVED	nployed that that sain the follo	by the above named well aid work was commenced by by by by by by the above named well aid work was commenced by by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was a supplied to the above named well aid work was a supplied to the above named well aid work and the above named well and the above named
operator, and pa on the 22nd day TYPE Cement Cement	FROM 3993' 3350' 2145' 750'	ying and filling of work of plugging 2014, and that the TO 3713' 3250 ' 1897' 650'	il and gas well gand filling the well was plug	ls and were er above well, s ged and filled i REMOVED	nployed that that sain the follo	by the above named well aid work was commenced by by by by by by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid work was commenced by the above named well aid with a commence and the above named well aid work was a commence and the above named well aid work was a commence and the above named well aid work was a commence and the above named well aid work was a commence and the above named well aid work was a commence and the above named well aid work and the above named well aid work and the above named well are above named well and the above named well are above named well and the above named well are above named well and the above named well are above named well and the above named well are above named well and the above named well are above named well and the above named well are above named well and the above named well are above named well and the above named well are above named well and the above named well are above named well and the above named well are above named well as a commence and the above named well are above named well as a commence and the above named well are above named well as a commence and a commence and a commence and a commence are above named with a commence and a commence ar
operator, and pa on the 22nd day TYPE Cement Cement Cement	FROM 3993' 3350' 2145' 750' 434'	ying and filling of work of plugging 2014, and that the TO 3713' 3250' 1897' 650' 300'	ill and gas well g and filling the e well was plug PIPE I 2200ft 4 700' 8 5/8	ls and were er above well, s ged and filled i REMOVED	nployed that that san the follo	the above named well aid work was commenced owing manner: LEFT 1898 ft 52'
operator, and pa on the 22nd day TYPE Cement Cement Cement Cement Cement Cement	FROM 3993' 3350' 2145' 750'	ying and filling of work of plugging 2014, and that the TO 3713' 3250 ' 1897' 650'	ill and gas well g and filling the e well was plug PIPE I 2200ft 4	ls and were er above well, s ged and filled i REMOVED	nployed that that sain the follo	the above named well aid work was commenced owing manner: LEFT 1898 ft 52'
operator, and pa on the 22nd day TYPE Cement Cement Cement Cement Cement Cement Cement Cement	FROM 3993' 3350' 2145' 750' 434' 210'	ying and filling of work of plugging 2014, and that the TO 3713' 3250' 1897' 650' 300'	ill and gas well g and filling the e well was plug PIPE I 2200ft 4 700' 8 5/8	ls and were er above well, s ged and filled i REMOVED	nployed that that san the follo	the above named well aid work was commenced owing manner: LEFT 1898 ft 52'
operator, and pa on the 22nd day TYPE Cement Cement Cement Cement Cement	FROM 3993' 3350' 2145' 750' 434' 210'	ying and filling of work of plugging 2014, and that the TO 3713' 3250' 1897' 650' 300'	ill and gas well g and filling the e well was plug PIPE I 2200ft 4 700' 8 5/8	ls and were er above well, s ged and filled i REMOVED	nployed that that san the follo	the above named well aid work was commenced owing manner: LEFT 1898 ft 52'
operator, and pa on the 22nd day TYPE Cement Cement Cement Cement Cement Cement Cement Cement	FROM 3993' 3350' 2145' 750' 434' 210'	ying and filling of work of plugging 2014, and that the TO 3713' 3250' 1897' 650' 300'	ill and gas well g and filling the e well was plug PIPE I 2200ft 4 700' 8 5/8	ls and were er above well, s ged and filled i REMOVED	nployed that that san the follo	the above named well aid work was commenced owing manner: LEFT 1898 ft 52'
operator, and pa on the 22nd day TYPE Cement Cement Cement Cement Cement Cement Cement Cement	FROM 3993' 3350' 2145' 750' 434' 210'	ying and filling of work of plugging 2014, and that the TO 3713' 3250' 1897' 650' 300'	ill and gas well g and filling the e well was plug PIPE I 2200ft 4 700' 8 5/8	ls and were er above well, s ged and filled i REMOVED	nployed that that san the follo	the above named well aid work was commenced owing manner: LEFT 1898 ft 52'